



Department of Energy

Bonneville Power Administration P.O. Box 3621 Portland, Oregon 97208 - 3621

AUG 12 1988

In reply refer to:

A.J

Mr. Ron Culver Oregon Operations Office US Environmental Protection Agency 811 SW Sixth Avenue Portland, Oregon 97204 PEGELVED NAUG 17 1988

> PESTICIDES & TOXIC SUBSTANCES BRANCH EPA REGION 10

Dear Mr. Culver:

On August 8, 1988, Bonneville Power Administration (Bonneville) was contacted by the US Environmental Protection Agency (EPA) regarding electrical equipment observed by EPA at S. J. Nudelman, NW Nela Street in Portland, Oregon. Some of the equipment was said to have markings on it indicating that it may have been owned at one time by Bonneville. Bonneville was asked to search its records and provide any available information on the polychlorinated biphenyl (PCB) contamination level of the equipment.

Although serial numbers on various pieces of equipment were provided, the Bonneville identification number was not. Bonneville's PCB testing records relate to the equipment number assigned when the equipment is received and this number is necessary in order to most accurately retrieve the information EPA has requested.

Enclosed is laboratory data on those pieces of equipment which we have been able to track to the sale to Nudelman based on those Bonneville numbers that we have obtained to date. As you will note, the results did not show contamination by PCB's to the 1 part per million level of detection. Bonneville will search for additional information if the Bonneville equipment numbers can be obtained. We would be glad to meet with you to further discuss this matter.

Please call me at 230-5139 or FTS 429-5139 if you have any questions.

Sincerely,

Nicholas J. Stas

Nicholas J. Stas

Senior Environmental Specialist

2 Enclosures Laboratory Data

RECEIVED

AUG 1 5 1988

OREGON OPERATIONS OFFICE
EPA-REGION 10

Substation	Haintenance,	_, Superintender	nt	
LR- 42873				
D. W. Bake Chemical S	r, Chief ection - ERGA			
The follow Complex Ch	ing are the re-	sults of PCS and ory:	lysis on sampl	es submitted to the Ross
LOCATION	DATE SAMPLE	EQUIPMENT #	AROCHLOR ID	CONCENTRATION (PPH)
POSO UED	4/25	P-3993 lower	?	<1
		base v	<u> </u>	<u> </u>
		P3994 lower	V	41
		" base		/
		P-3995 lower	1 1 1 1	4 4 4
		base.		<1 /
	.,	P-3996 lower	Company of the last of the las	<1 · v
		base		_ <1 ' /
		P-3997 lower	/	<1 v
		base v		<1
		P3998 lower		_ < '
	1	" base		<1 /
Sampled by:	Lollman			
lested bys	Plath TERM	A ·	00	4 Bale
			D. W. Baker, C	0.200
			Chemical Secti	on

CCI

D. Johnson - OHS T. Horiyasu - OHS W. Connely - ERJP

T. Kafara - SI

G. Davis - EJPB Official File - ERG

WP-ERGA-03098

H. MISHIMA - ENSA

1. Boag - OPS Q

Substation	Haintenance,	_, Superintendent	
LR- 42873			
D. W. Bake			
The follow Complex Cha	ing are the resembles	sults of PCB analysis on samp ory:	les submitted to the Rose
LOCATION	DATE SAMPLE	EQUIPMENT / AROCHLOR ID	CONCENTRATION (PPM)
Poss USD	1/3	P-3931 Lower 1?	<1
		middlex upper x base x	1
		upper X	
	Į	base of I	
	1/4	P-3994 base X ?	<1
	1	AXI	1
		B X	-
		c X	
DV HOVE		P-3313 Bose X	
		A X	
		8 7	
	• •	101	
ampled by: ested by:	Lollman Plath/ERGA		
		· Jane	Ta Baler

Chemical Section

cci

D. Johnson - OHS
T. Horiyasu - OHS

W. Connely - ERJF

T. Kafara - SI

G. Davis - EJPB-

Official File - ERG

WP-ERGA-0309B

H. MISHIMA - EMSA

J. Boag - OPSQ

		Same same of the s	and the same of th	
\$EPA	US ENVIRONMENTAL PE WASHINGTON TOXIC SUBSTANCES NOTICE OF IN	S CONTROL ACT		Form Approved OMB No. 2070-0007 Expires 3-31-88 ATTACHANT
1. INVESTIGATION IDENTIFICATION DATE INSPECTOR NO. DAILY S 4 INSPECTOR ADDRESS	SEQ. NO. 916 am	Nudelma 5. FIRM ADDRESS	in & Son	ABCI. Recycling
811 SW (eth F	tv.	Portlan	d, Orag.	97210
1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	REASON FOI	RINSPECTION		
Under the authority of Section	11 of the Toxic Substance	s Control Act:		at talled an actablish
For the purpose of inspecting (in ment, facility, or other premise essed or stored, or held before a facilities) and any conveyance with their distribution in common requirements of the Act applications conveyance have been complied.	s in which chemical substa or after their distribution i being used to transport che nerce (including records, fi able to the chemical substa	n commerce (includemical substances, m	ing records, files, paper ixtures, or articles con	s, processes, controls, and taining same in connection as) bearing on whether the
☐ In addition, this inspection ext	ends to (Check appropriat	e blocks):		
☐ A. Financial data		D. Personnel da	ta	
☐ B. Sales data		☐ E. Research dat	a	
☐ C. Pricing data				
The nature and extent of insper	ection of such data specific	ed in A through E ab	ove is as follows:	
INSPECTOR SIGNATURE		X LAN	Hudeln	
RON CULVER	2	STAM	ERW. NUDE	ELMAN
Env. Engr.	DATE SIGNED	TITLE	Owner	8-4-88
City.	0/7/00	1961		INSPECTOR'S

FACILITY

REGIONAL OFFICE

INSPECTOR'S FILE



ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

TOXIC SUBSTANCES CONTROL ACT

Form Approved OMB No. 2070-0007 Expires 3-31-88

TSCA INSPECTION CONFIDENTIALITY NOTICE

MACHAT

1. INVESTIGATION IDENTIFICATION	2. FIRM NAME
DATE OF THE PROPERTY OF THE PR	Nudelman & Son Inc
3. INSPECTOR NAME	4. FIRM ADDRESS
RON CULVER	2707 NW Nela St
5. INSPECTOR ADDRESS	(1) all 1 M. Man
811 SW 6th Am	Partland, Oveg. 97210
	6. CHIEF EXECUTIVE OFFICER NAME
Dettand Man Da	STANFORD V. NODELMAN
romand one 97204	6. CHIEF EXECUTIVE OFFICER NAME STANFORD . NODELMAN 7. TITLE OWNER - MGR
	BUSINESS INFORMATION CLAIM

It is possible that EPA will receive public requests for release of the information obtained during inspection of the facility above. Such requests will be handled by EPA in accordance with provisions of the Freedom of Information Act (FOIA), 5 USC 552; EPA regulations issued thereunder, 40 CFR Part 2; and the Toxic Substances Control Act (TSCA), Section 14. EPA is required to make inspection data available in response to FOIA requests unless the Administrator of the Agency determines that the data contain information entitled to confidential treatment or may be withheld from release under other exceptions of FOIA.

Any or all the information collected by EPA during the inspection may be claimed confidential if it relates to trade secrets or commercial or financial matters that you consider to be confidential business information. If you assert a CBI claim, EPA will disclose the information only to the extent, and by means of the procedures set forth in the regulations (cited above) governing EPA's treatment of confidential business information. Among other things, the regulations require that EPA notify you in advance of publicly disclosing any information you have claimed as confidential business information.

A confidential business information (CBI) claim may be asserted at any time. You may assert a CBI claim prior to, during, or after the information is collected. The declaration form was developed by the Agency to assist you in asserting a CBI claim. If it is more convenient for you to assert a CBI claim on your own stationery or by marking the individual documents or samples "TSCA confidential business information," it is not necessary for you to use this form. The inspector will be glad to answer any questions you may have regarding the Agency's CBI procedures.

While you may claim any collected information or sample as confidential business information, such claims are unlikely to be upheld if they are challenged unless the information meets the following criteria:

Your company has taken measures to protect the confidentiality of the information, and it intends to continue to take such measures.

- The information is not, and has not been, reasonably obtainable 2. without your company's consent by other persons (other than governmental bodies) by use of legitimate means (other than discovery based on showing of special need in a judicial or quasi-judicial proceeding).
- The information is not publicly available elsewhere.
- Disclosure of the information would cause substantial harm to your company's competitive position.

At the completion of the inspection, you will be given a receipt for all documents, samples, and other materials collected. At that time, you may make claims that some or all of the information is confidential business information.

If you are not authorized by your company to assert a CBI claim, this notice will be sent by certified mail, along with the receipt for documents, samples, and other materials to the Chief Executive Officer of your firm within 2 days of this date. The Chief Executive Officer must return a statement specifying any information which should receive confidential treatment.

The statement from the Chief Executive Officer should be addressed

and mailed by registered, return-receipt requested mail within 7 calendar days of receipt of this Notice. Claims may be made any time after the inspection, but inspection data will not be entered into the special security system for TSCA confidential business information until an official confidentiality claim is made. The data will be handled under the agency's routine security system unless and until a claim is made.

TO BE COMPLETED BY FACILITY OFFICIAL RECEIVING THIS NOTICE: I have received and read the notice	If there is no one on the premises of the facility who is authorized to make business confidentiality claims for the firm, a copy of this Notice and other inspection materials will be sent to the company's chief executive officer. If there is another company official who should also receive this information, please designate below.
x Half Wheelsle	NAME
STANFORD J. NUDELMAN TITLE DATE SIGNED	TITLE
Owner-Mar 8/4/88	ADDRESS

PCB INSPECTION PLAN

1.0	ted and Filed with RSCC and RQAMO for all PCB Inspections)
Status: Enforcemen	
	t Sensitive; CBI; Open; Routine
Site Identifier:	Nudelman & Son Sevap & Salva
Authorized Inspecto	r: Kon Calver
Designated Manager:	Ran Calva
Inspection Team or	Delegated Authorities: Ran Culver
RQAMO Concurrence:_	Date:
ESD Peer Review:	Date:
Project Number:	CO-054A Account Number: AFLL-3A
Laboratory Designate	ed: EPA; CLP; Private DEQ
	gned: 88320075 to 0079 *
Sample Schedule and M	
	ust be filled out ACCURATELY and COMPLETELY)
DATE	18-4-51 18-4-81 8-22-6
ACTIVITY	SAMPLE: TO LAB LAB REPO
MATRIX	1-501 Luipe (DEQ) Test (esu
# OF SAMPLES	1- BLANK
Regional Sample Cont Acceptance Date: Project Description	"open" section(s) closed on
	Network Derivation: <u>Emergeny</u> Response
Cooperating Agencies	, Involved Parties: DEQ Reloyed ISCA VIC
Special Consideratio	ons or "open" requirements:
* Nembers	borrowed from Joes Recycling th

FIELD SAMPLE DATA AND CHAIN OF CUSTODY SHEET				
EPA Region 10 1200 Sixth Avenue Seattle WA 98101 Case No.: 51 1/DELMAN & SON Finforcement/Custody Miscellaneous: Test for PB Sampling Crew: WA UNIVERSALE OF SAMPLING CONTROL OF SAMPLING CREW: WA 98101				
	Data Confidential			
Name/Location (LUDELMAN) SCRAD & SALVAGE P	ossible Toxic/Hazardous	Sail YCB Vow to Well _//		
Proj. Off.: Tel.#21 - 2676 D		Sample med to hi? Recorder: Kan Culuci		
	Place To the Control of the Control			
MATRIX # CONTAINERS LAB STORET S NUMBER NUMBER		FIC REPORT NUMBERS SAMPLER'S STATION DESCRIPTION		
	and the same of th			
SOURCE CODE Oil Water Sediment Tissue Prsrvdf////////////////////////////////////		loors loors		
SOUR CODE Oil Water Water Tissue Prsrvd Oil Cul Gal. Cul Gal. Cul Other A.A. A.A. A.A. A.A. A.A. Other A.A. A.A. A.A. A.A. A.A. A.A. A.A. A.	Yr Mo Dy Time O	Org. Inorg.		
X X 88320075	8808041030	1 Soll DOIL from BPA Bushings		
X VILI 176	11111045	Ble 5-1 Wipe of Cap/Bushing leak		
X / 77	444441100	RLO 5-3 Wipe of Sm Cap leaking		
X 18	40 40 60 11 45	ALO SY Blank		
		13 mil		
是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个		· 大学、大学、大学、大学、大学、大学、大学、大学、大学、大学、大学、大学、大学、大		
	NDCTVTY COMPOSITE ONLY	CONDITION OF SAMPLES UPON RECEIPT AT LAB:		
NOWBER CODE C	ENDING DATE	CUSTODY SEALS INTACT:		
Yr Wk Seq III dd A	Mo Dy Time Type Fre	CHAIN OF CUSTODY RECORD RECEIVED BY: (Signature) DATE/TIME		
		RELINQUISHED BY: (Signature) RECEIVED BY: (Signature) DATE/TIME		
		RELINQUISHED BY: (Signature) RECEIVED BY: (Signature) DATE/TIME		
		RELINQUISHED BY: (Signature) RECEIVED BY: (Signature) DATE/TIME		
		RELINQUISHED BY: (Signature) RECEIVED BY MOBILE LAB FOR FIELD ANALYSIS: (Signature)		
		DISPATCHED BY: (Signature) DATE/TIME RECEIVED FOR LAB BY: DATE/TIME		
		DISPATCHED BY: (Signature) DATE/TIME RECEIVED FOR LAB BY: DATE/TIME (Signature)		
		METHOD OF SHIPMENT		

Laboratory Copy White

Project Officer Copy Yellow

Field or Office Copy Pink

★ Source Codes and Descriptions ★

Code	Description	Code	Description
00	Unspecified Source	60	Air (General)
01	Unknown Liquid Media (Drum/Tank)	61	Ambient Air
02	Unknown Liquid Media (Spill Area)	62	Source or Effluent Air
03	Unknown Liquid Media (Waste Pond)	63	Industrial or Workroom Air
	The state of the s	64	Hi-Vol Filter
10	Water (General)	IF STEELS	THE CONTROL
12	Ambient Stream/River	70	Tissue (General)
13	Lake/Reservoir	71	Fish Tissue
14	Estuary/Ocean	72	Shellfish Tissue
15	Spring/Seepage	73	Bird Tissue
16	Rain	74	Mammal Tissue
17	Surface Runoff/Pond (General)	75	Macroinvertebrate
18	Irrigation Canal/Return Flow	76	Algae
	A STATE OF THE PARTY OF THE PAR	77	Periphyton
20	Well (General)	78	Plant/Vegetation
21	Well (Industrial/Agricultural)	11 30	
22	Well (Drinking Water Supply)	80	Oil/Solvent (General)
23	Well (Test/Observation)	81	Oil (Transformer/Capacitor)
24	Drinking Water Intake	82	Oil/Solvent (Drum/Tank)
25	Drinking Water (At Tap)	83	Oil/Solvent (Spill Area)
		84	Oil/Solvent (Waste Pond)
30	Effiuent Wastewater (General)		
31	Municipal Effluent	90	Commercial Product Formulation
32	Municipal Inplant Waters		
33	Sewage Runoff/Leachate	95	Well Drill Water
34	Industrial Effluent	96	Well Drill Mud
35	Industrial Inplant Waters	97	Well Sealing Material
36	Industrial Surface Runoff/Pond	98	Gravel Pack Material
37	Industrial Waste Pond		
38	Landfill Runoff/Pond/Leachate		
40			
40 42	Sediment (General)		
42	Bottom Sediment or Deposit		
44	Sludge (General)		
45	Sludge (Waste Pond)		
46	Sludge (Drum/Tank)		
	Cidago (Didili) ralik)		
48	Soil (General)		
49	Soil (Spill/Contaminated Area)		
50	Bore Hole Material		

* Collection Method Codes *

Code	Description
00 10 11 12 13 14 15 16 17 18	Unknown Hand Grab Plastic Bucket Stainless Steel Bucket Brass Kemmerer PVC Kemmerer D.O. Dunker DH 48/DH 49 Integrating Sampler Van Dorn Bottle Glass Dip Tube Other
20 21 22	Automatic Sampler (General) ISCO Auto Sampler Manning Auto Sampler
25 26	Well Point Sampler (Pump) Stainless Steel Bailer (Hand)
30 31 32 33 34 35	Dredge (Unspecified) Dredge (Peterson) Dredge (Van Dorn) Dredge (Van Veen) Core Freeze Core
40 41 42 43 44 45 46	Macroinvertebrate (Unspecified) Picked by Hand Kick Net Surber Modified Hess Type Sampler Rock Basket Hester Dendy Sampler
50 51 52 53 54	Fish (Unspecified) Fish (Shocking) Fish (Netting) Fish (Hook & Line) Fish (Poison)
60 61 62	Periphyton (Unspecified) Rock Scraping Glass Slides

★ Composite Codes ★

Type Description T Time Composite S Space Composite F Flow Proportioned Composite B Both Space & Time Composite Freq Description C Continuous G Grabs (# Unknown) ## # of Grabs

* Depth Codes *

Unit	Description
FM	Feet Meters
Туре	Description
V B	Regular (Blank) Vertically Integrated Sample at Bottom

★ Quality Assurance Codes ★

Code	Description
FBLK	Field Blank Sample (Dist H20)
FXFR	Field Transfer Blank Sample
FTRS	Field Transport Blank Sample
FRXS	Field Reagent Sample
FRNS	Field Rinse Water Sample
FSPK	Field Spiked Sample
FDP1	Field Duplicate Sample #1
FDP2	Field Duplicate Sample #2
FSPL	Field Split Sample



ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

TOXIC SUBSTANCES CONTROL ACT

Form Approved
OMB No. 2070-0007
Approval expires 8-31-24

T EOD CAMPLES AND DOCUM

RECEIPT FOR SAMPL	ES AND DOCUMENTS PYTHUMIT 2
1. INVESTIGATION IDENTIFICATION	2. FIRM NAME
	Nudelman & Son
3. INSPECTOR ADDRESS 811 SW 643 AV	2707 NW Nela St
Portland, one. 97204	Portland One 97210
The documents and samples of chemical substances and/or mix	

ARE THE TAXABLE FOR							
The documents and samples of chemical substances and/or mixtures described below were collected in connection with the administration and enforcement of the Toxic Substances Control Act.							
	RECEIPT OF THE DOCUMENT(S) AND/OR SAMPLE(S) DESCRIBED IS HEREBY ACKNOWLEDGED:						
NO.	DESCRIPTION						
5-1	Soil Sand a Oil by BAA Bushings Wife Sample Cap Bushing 10:30a Wife Sample Sur. Cap 11:00 a						
1 2	1 20:45 2						
5-3	Crise Sample Sur. Cap 11:00 a						
	Prétures of yord / Ele Equipment						
OPTIONAL:							
OPTIONAL: DUPLICATE OR SPLIT SAMPLES: REQUESTED AND PROVIDED							
INSPECTOR SIGNATUR	rechien the fidelen						
Row	CULVER DATE SIGNED TITLE STANFORD NUDELMAN						
Env. Er	19v. 8-4-88 Ent. Eng. 8-4-88						
FD4 F 3340 4 440 0							

DEPARTMENT OF ENVIRONMENTAL QUALITY

Laboratories and Applied Research Division 1712 S.W. 11th Avenue, Portland, OR 97201


LEGAL SAMPLE

Chain of Custody Record

ATTACHMAT 6

Site Name: S.J. NUDELMAN + SON, INC.	Laboratory Number:	880657
Location: PORTLAND	Program Code:	45551
Date Sampled: 4/4/88	Date Received:	8/4/88
Time Sampled: 10:30 - 11:45 AM	Time Received:	2:20 PM
Collected By: RON CULVER		
Sample Contain	ner Information	
e lace : [1] 하다 : 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ype/Number	Container Type/Number
SE VOA BOTTLE 15-1		
mepuro € VIAL 1 5-2		/
WPURGE VIHLIS-3		
PURGE VIAL 15-4	1	
	<u> </u>	/
	1	
Total Number of Containers Received:		
Relinquished By: Lan Culbun (signature)	Received B (signature)	y: Bel Welly
Initial Placement in Refrigerator # 4610		
Subsequent Out of Laboratory Transfers:		
Relinquished By:(time/date)	Received By:(time/date)	
	Difference Transfer	
	14 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

ATTACHMT 7



B- BPA Bushing Transformer

@ GE. Ele. Transformer

1 Capacitor

NUDELMAN & Son Inc, 2707 N.W. NELA St., PORTLAND

PICTURES ATTACHMENT 8

1 & 2 - A panorama looking toward South. A railroad mounted crane is covered by briars in background. Buildings are off site.

Burning

- 3 & 4 Looking West. Small incinerator visable at left in picture 4. Office is mostly covered by tree in center of 4. Building at left in 4 was not inspected.
- $5\ \&\ 6$ Looking North. Bottom tank from bushing transfromer in center of 5. Drums in 6 with unknown content.
- 7 Bottom part of bushing transformer; core still inside. Most of the oil was gone.
- 8 GE transformer, "High Voltage Testing Set".

Jio 2 .

- 9 Bushing transformers. Rainwater and oil in open pot on left. Unit on right was leaking oil onto the ground as a result of a bushing break.
 - 10 Salvage of electrical panels by man with torch.

10

- 11 Several pieces of bushing transformers with a lot of recently spilled oil on the ground. Part of sample 1 collected here. Location: near entry at end of Nela street.
- 12 Entry at end of Nela Street. Bushing transformer units may be leaking; too much brush to tell.
- 13 Leaking capacitors. No labels visable; sample 2 collected from leak on this unit.
- 14 Larger caps at top. Smaller broken cap lower right still 1/2 full of oil. The small ones may be out of the bushings. They appeared to be from a larger unit. Several were laying around. Sample 3 collected from the small open cap.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY



OREGON OPERATIONS OFFICE PORTLAND, OREGON 97204

August 9, 1988

ATTACHMENT 10

REPLY TO 000 ATTN OF:

MEMORANDUM

SUBJECT: S.J. Nudelman & Son, Inc. Telephone Conference on 8-9-88

FROM:

Ron Culver, P.E.

Oregon Operations Office

TO:

File

I asked Mr. Stanford Nudelman the following questions; August 9, 1988 at 9:00 A.M.

- 1. What did he do with oil from bushings? Reply: He used it for his trucks hydraulic systems. He has no bulk oil storage.
 - 2. I asked if he owns any other sites. Reply: No.
- 3. I asked about any past burning on site. He said never did he burn on site.
- 4. I asked about sewers on site. He said there are none. They have a septic tank and no storm or sanitary severs.
- 5. I asked if he has any long-term plans for the site. He said no. There are no plans to liquidate or remove scrap on site.

#0609F

DEPARTMENT OF ENVIRONMENTAL QUALITY
Request for Analysis

LEGAL Case No. 480657

ollecte	d by: RON BULVER	Fund Code	4	45551	Da	te Repor	rted: AUG 2 9 1988			
urpose:	PCB COMPLIANCE TEST	9 Nt.		/			ta to: EPA 0.00,			
omments	:5-1 Please mix well be	for ano	Oysis/e	extraction	Can	21-26 in res	76 (15) 811 S.W. GTH 221-267,			
em #	Save = 1/2 of Sampling Point Description	Sample con to test(s)			Test(s) Required					
	(include time)	Nutrients Basic	DO BOD	Metals Organic	Misc.					
1	Soil Woil FRA BPA BUSHINGS.	* ***	the eye.	Carrier Land	5.74.w	P	CB			
	10:30		1 1 2 m	5-1	e je ver de					
2	WIPE OF CAP/ BUSHING LEAK.		San San San		Sugar.					
son de	(0:45	o Asiaki.		5-2		W. Alaka	production of the second section of the sec			
3	WIPE OF SM. CAPLEAK.									
****	((:00	. Festival-e		5-3	in it has desired		Blue some services and the services			
4	BLANK 11:45					2.07 (2.00 2.07)				
s., '-1 ,.	(1.4)	and the state of		5-4	a second reservation					
5							RECEIVED.			
		of Sales		, = 1 , r + m	ing the st	N.	1 1988			
6	*	plant .		ra mil a	And Ang	1 or 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	OREGON OPERATIONS OFFICE OREGON OPERATIONS 10			
		4	1				OREGUIEPA-REGIUM.			

&EPA		,				F	IELÇ	SA	MP	LE	DA	TA	A					CUSTO	. /	SH	EET			0	D. 1.1.	010
EPA Region 10 1200 Sixth Avenue Seattle VA 98101	Case No.:	J.N	UDE	-LM	IAN	\$50	01)	A Eu	force	eme	nt/C	Custo	ody	1	/liscel	lan	eous:	Tes.	† †	or	py	Samp	oling Crew:.	Hon (ulve	X
Project Code:	1	Ac	coup	şt:		-		Da						-	5	0	_	: -0	Onk	1)_	1 110/	<i>(</i>)		1)	0	
Name/Location	I MINDE	MAAA		COL	4D 4	SA	LVAC	Po	ssibl	e T	oxic	/Haz	zardo	ous :	4	T	ME	fact 1	reg	Vol	U TO MUCH	^1086 2	====	1 comine	10.0	
Proj. Off.:	GALVIERA LO	b Oply_Le	ave Blan	rel.#	211	-26	16	□ Da	ata fo	or S	tore	t~ :~ .	man C	e5.	W.U	28	.40	unple	E.	mes	tolu	Rec	order:	en	Cell	MA
Proj. oii4	Oh miss									_		*** *		f ·					II IAAD	rpc	SAMPLER'S	1 (Signal	STATIO	N		
MATRIX	X # CONTAI	NERS		LA		- 1	STOP	SAMPLING TRA						INITIALS:						DESCRIPTION CONTRACT			t.			
nt nt	1 1 1 1			NOW	02	- 1	NUMBER				10.10	TIME &	Erant.	+							. 75% - 10V	6.			AD NORTH	č.
JRC JE jime	Copped S	E = =										1237	. Ju.c	Lic h							Lite Table BLIZE	1.1 C.			esofithme.	13
SOURCE CODE Oil Water Sediment	Prsrvd(Y/ Ot. Cubit Gal. Cubit 16 oz. 8 oz.	120 ml. 40 ml. Other	Yr	Wk	Se	q		.31.			Yr	Мо	Dy	Tir	ne		Org.	-	Inorg		· · · · · · · · · · · · · · · · · · ·	72		77 67 44	Qivnsunii •	
T V	T X		219	217	00	75	T	H	T	П	88	08	04	ilo	30						PL "	5-13	oil Doil	from BPA.	Bushy	295
	+	X	00	1	1	76			(1) 6:	i	112	1	1-1	10	45						Bless	5-1	Wipe of (ep Bushir	ig lea	
1 1 1 1 1	الما الما الما الما الما الما الما الما	> X		1	+ 1	77		+		4	V.	4:	40	-111	00						RIO	5-3	Wieeof	Sm- Cap	laking	
	ent Desc to	1	1		110	18	1	++		\forall	+1	1	20	111	45	1			1.	1000	AJO,	5-4	Black	ורבו בשנה לבטף. מישור ביות		=
H		1	1	1	1	10		+	++	+			1.	1	1					Rr .	Sqiven.	1	,	1361 - 1261) 1361 - 124 1361	A B ALLE	ě:
HH	$+1$ $^{\circ}$ $+1$ $^{\circ}$		1	1	+	H	HH	++	11					1		+	11		11	L 0 L	1/ Solvent	1		serewerer (Genera	Efficent W	30
HAL	00 M 340 404		+	N		H	HH	++	++	+	-	1		1 =		1				100 100	ins Trainit.	U.		התונישות /V-יפתר	100	32
			+	++		H	H	+	++	+	\vdash	11-	17	1	H	+	++	HH	+	1	Jan Jan.	- C		715		54
	11111	1	+	+	1			++	12		9 21	200	+	1		+	++		++		יאר אינוייייייייייייייייייייייייייייייייייי	89	27	V 11. 10 10	industrial C	3€
\square	\Box		1	++	11	V		++	++	+	15.	1	21	++	H	1	++	HH	+	11	1		· · ·	ribes born	F. Where	Ë
Ш	VIII		Ш				Ш				Ш	10000	A60:	- 81	ш							<u>u</u>		innen 0	: more al	1
LAB	DEPTH	111	COL	QA	17	EMP	DH	ICN	IDCTV	TY	_			_	ONLY	_		CONDI	TION	OF SA	MPLES UPON	RECEIP	T AT LAB:			
LAB NUMBE	Richard Same:	1 1	DTN	COD		DEG	-		mho/c		ibe.	7.5439	out nat	e Cl	_						NTACT:		□yes	· □no	4.*	none
enthing a	car tar ist Die	0 0	CD			С					E	NDIN	G DA	TE 2		_					CHAIN C		ODY RECORD		1	
Yr Wk	Seq. as 56	Typ									Мо	Dy	·,T	ime b:	Тур	е	Freq	RELINQU	JISHE	BY:	(Signature)	RE	ECEIVED BY:	Signature (enimal 10	DAT Spelic	E/TIME
	1	Ш	T		T						9 -		-	-										- noise	· F-1	7
	e :- 1 : 12 1 1	Π										1					-	RELINQU	JISHE	D BY:	(Signature)	RI	ECEIVED BY:	Signature)	DA	TE/TIME
HHH		HI									T					-										
HHH		111		11														RELINQU	UISHE	D BY:	(Signature)	R	ECEIVED BY:	Signature)	DAT	TE/TIME
HH		Π	11	\top																			ESERVED DV M	OBUELAR	DA:	TE/TIM
HHH		+++	+	11									T					RELINQU	UISHE	D BY:	(Signature)		OR FIELD ANA		DA	
		+++			11						T				-			1	- 10.00	1		DATE (T	INAE DECEIV	ED FOR LAB BY	. DA	TE/TIME
HHH		+H	+	+	1	11	11			1	11	11	T			-		DISPATC	CHED	AY: ISig	nature! Of. I	DATE/T	(Signature)	1 0 1/1		18 2:20
		+++	+	+	-	++	++			1	11	11	\top	11	1			Sin	CEL	luc	~ 0/4/	88	17704	, july	5 44	10/2120
		+H	+			++	11	+			1	1		11				METHOD	D OF S	HIPME	:N1 /			U	,	
ш		Ш	Ш	لملما							Proje	ct Office	er Copy	Yellow					_						Field or Office	Copy Pink
Laboratory Copy	vvnite																									

DEPARTMENT OF ENVIRONMENTAL QUALITY LABORATORIES ANALYTICAL RECORDS REPORT

PAGE 1

SATURDAY AUGUST 27th, 1988

CASE: 880657 FUND CODE: 45551

CASE NAME: S.J. NUDELMAN & SON, INC. SUBMITTER: Culver, Ron

ITEM# SAMPLE DESCRIPTION

001 SOIL W/OIL FROM BPA BUSHINGS @ 10:30

Completion of PCB Completion of PCB Extraction

Attached Complete

RESULT UNITS

002 WIPE OF CAP/BUSHING LEAK

@ 10:45

Completion of PCB Completion of PCB Extraction

Attached Complete

003 WIPE OF SM. CAP LEAK

@ 11:00

Completion of PCB Completion of PCB Extraction

Attached Complete

004 BLANK

@ 11:45

Completion of PCB Completion of PCB Extraction

Attached Complete

GC PCB'S Complies with EPA NPDES Method 608 and RCRA Method 8080

Date: 22 August 1988

Lab #: 88-0657

Sample: S-1

Item #: 1

550

=========	==========					
Amount	Parameter	CAS Registry				
MG/KG		Number				
=========	=======================================	=======================================				
⟨∅.25	PCB Group 1	11104282				
(0.19	PCB Group 2	11141165				
(0.05	PCB Group 3	53469219				
1.24	PCB Group 4	11097691				
Ø.59	PCB Group 5	11096825				
1.83	Total PCB					

PCB Group 1 includes PCB 1221 and is calculated as 1221.

PCB Group 2 includes PCB 1232 and in s calculated as 1232.

PCB Group 3 includes PCB'S 1016, 1242 and 1248 and is calculated as 1242.

PCB Group 4 includes PCB 1254 and is calculated as 1254.

PCB Group 5 includes PCB's 1260 and 1262 and is calculated as 1260.

ND No PCB's observed above indicated detection limit.

GC PCB'S Complies with EPA NPDES Method 608 and RCRA Method 8080

Date: 22 August 1988

Lab #: 88-0657

Sample: S-2

Item #: 2

14.3

550

Amount *UG/SAMPLE	Parameter	CAS Registry Number
==========		==========
⟨5	PCB Group 1	11194282
< 2	PCB Group 2	11141165
<1	PCB Group 3	53469219
14.3	PCB Group 4	11097691
(1	PCB Group 5	11076825

Total PCB

PCB Group 1 includes PCB 1221 and is calculated as 1221.

PCB Group 2 includes PCB 1232 and in s calculated as 1232.

PCB Group 3 includes PCB'S 1016, 1242 and 1248 and is calculated as 1242.

PCB Group 4 includes PCB 1254 and is calculated as 1254.

PCB Group 5 includes PCB's 1260 and 1262 and is calculated as 1260.

ND No PCB's observed above the indicated detection limit.

* The entire swab sample was analyzed.

GC PCB'S Complies with EPA NPDES Method 608 and RCRA Method 8080

Date: 22 August 1988

Lab #: 88-0657

Sample: S-3

Item #: 3

550

Amount *UG/SAMPLE	Parameter	CAS Registry Number		
⟨2.5	PCB Group 1	11104282		
(1	PCB Group 2	11141165		
(0.5	PCB Group 3	53469219		
8.85	PCB Group 4	11097691		
(0.5	PCB Group 5	11096825		
8.85	Total PCB			

PCB Group 1 includes PCB 1221 and is calculated as 1221.
PCB Group 2 includes PCB 1232 and in s calculated as 1232.
PCB Group 3 includes PCB'S 1016, 1242 and 1248 and is calculated as 1242.
PCB Group 4 includes PCB 1254 and is calculated as 1254.
PCB Group 5 includes PCB's 1260 and 1262 and is calculated as 1260.

ND No PCB's observed above the indicated detection limit.

* The entire swab sample was analyzed.

GC
PCB'S
Complies with EPA NPDES Method 600 and
RCRA Method 8000

Date: 22 August 1988

Lab #: 88-0657

Sample: S-4

ND

Item #: 4

550

Amount *UG/SAMPLE	Parameter	CAS Registr Number		

⟨2.5	PCB Group 1	11104282		
<1	PCB Group 2	11141165		
<0.5	PCB Group 3	53469219		
⟨∅.5	PCB Group 4	11097691		
⟨∅.5	PCB Group 5	11076825		

Total PCB

PCB Group 1 includes PCB 1221 and is calculated as 1221.

PCB Group 2 includes PCB 1232 and in s calculated as 1232.

PCB Group 3 includes PCB'S 1016, 1242 and 1248 and is calculated as 1242.

PCB Group 4 includes PCB 1254 and is calculated as 1254.

PCB Group 5 includes PCB's 1260 and 1262 and is calculated as 1260.

ND No PCB's observed above the indicated detection limit.

* The entire swab sample was analyzed.




2

ATTACHANT













9/9